

MANKO 4032xpt SERIES 4" ARCHITECTURAL GRADE FIXED, PROJECTED, AND CASEMENT WINDOW SYSTEM THERMAL PERFORMANCE AND CAPABILITIES

Whole Window U-Value (BTU/H _c FT ²)			
COG U-Value	Whole Window U-Value Per NFRC-100*		
	Fixed	Projected	Casement
0.45	0.48	0.50	0.50
0.40	0.44	0.47	0.47
0.35	0.40	0.43	0.43
0.30	0.36	0.40	0.40
0.25	0.32	0.37	0.37
0.20	0.27	0.34	0.34
0.15	0.23	0.31	0.31
0.10	0.19	0.28	0.28
All values shown are calculated with Manko standard Tri-Seal insulated units			

Whole Window Visible Light Transmittance			
COG Vt	Whole Window Vt Per NFRC-200		
	Fixed	Projected	Casement
0.80	0.67	0.49	0.49
0.70	0.59	0.43	0.43
0.60	0.50	0.37	0.37
0.50	0.42	0.31	0.31
0.40	0.34	0.25	0.25
0.30	0.25	0.18	0.18
0.20	0.17	0.12	0.12
0.10	0.08	0.06	0.06
All values shown are calculated with Manko standard Tri-Seal insulated units			

Whole Window Solar Heat Gain Coefficient			
COG SHGC	Whole Window SHGC Per NFRC-200*		
	Fixed	Projected	Casement
0.80	.70	.53	.53
0.75	.66	.50	.50
0.70	.61	.46	.46
0.65	.57	.43	.43
0.60	.53	.40	.40
0.55	.48	.37	.37
0.50	.44	.33	.33
0.45	.40	.30	.30
0.40	.35	.27	.27
0.35	.31	.24	.24
0.30	.27	.20	.20
0.25	.22	.17	.17
0.20	.18	.14	.14
0.15	.14	.11	.11
0.10	.09	.08	.08
0.05	.05	.04	.04
All values shown are calculated with Manko standard Tri-Seal insulated units			

* U-values and SHGC have been calculated using Manko standard insulated glass unit construction with Tri-Seal airspace and standard sealants. Substitution of different airspacers and/or sealants will effect values.

All values listed have been calculated using standard NFRC-100 and NFRC-200 procedures. Some values listed have been extrapolated for clarity and ease of presentation.

All values listed have been calculated at standard NFRC Gateway Sizes.

Manko Window
Systems Inc.
800 Hayes Drive
Manhattan, KS.
66502
PH: (800) 642 1488
FX: (800) 576 2656



MANKO
WINDOW SYSTEMS, INC.

Manko – Aurora, CO.
17500 E. 22nd Avenue
Aurora, CO. 80011
PH: (888) 642 1488
FAX: (303) 375 0669

Manko– Des Moines, IA.
3001 McKinley Avenue
Des Moines, IA. 50321
PH: (515) 288 7427
FAX: (515) 288 6968